

全国免费服务热线 / Nation Free Tel: **400 8813 578**



德尔法电梯有限公司
DELFAR ELEVATOR CO.,LTD.



本书为一般信息类出版物，我们保留随时更改产品设计和说明的权利。
本书的任何字句，无论其字面意思或含义，对于任何产品及产品的用途和质量，或者任何购销合同条款的表述与更改均不承担任何责任。
由于印刷工艺的局限，实际加工的颜色可能与本图略有不同之处，最终以实际材料和色样决定。

It is an ordinary information publication. We keep the right of alter the product design and description at any time.
If there is any dispute out of the literal meaning of any product description, use or quality, the description and dimension of any sales contract, our company will not bear any responsibilities therefrom.
Because of the restriction of the printing technology, if there is any slight difference between the actually machining color and that from this pamphlet, please take the actual material and color sample as the criterion.

2018.12月份印刷
2018.12 version

DELFAR
德尔法电梯



**PASSENGER
ELEVATOR**

乘客电梯

德尔法电梯有限公司
DELFAR ELEVATOR CO.,LTD.

About Delfar 关于德尔法



德尔法电梯有限公司坐落于长江三角洲经济区腹地、被称为电梯之乡的浙江湖州，东邻上海，南依杭州，是一家集电梯设计、研发、制造、销售、安装、维保为一体的大型专业化电梯企业。

企业现已通过ISO9001国际质量体系认证、ISO14001环境管理体系认证、OHSAS18001职业健康安全管理体系认证。在与时俱进的创新步伐中，引进全球先进的生产设备，实现先进管理方式的深层次转变，并不断在智能化领域深耕，致力于打造未来的智慧工厂。目前产品已涵盖乘客电梯、观光电梯、病床电梯、家用电梯、载货电梯、汽车电梯、小机房电梯、无机房电梯、自动扶梯和自动人行道等系列产品。

企业站在打造百年基业的高度，一直以“自主创新”为核心，不断攀越新的技术高峰，设立技术研发中心，坚持产学研合作的研究模式，不断将自主创新成果推向市场，为技术和人才创新的可持续发展打下坚实的基础。

德尔法电梯将始终秉承“诚信经营、不断进取、奉献社会”的经营理念，风雨携手，共赴辉煌。执行企业长期的战略发展规划，通过实施品牌战略、人才战略、文化战略、管理战略、国际化战略、信息化战略等，铸就企业核心优势，努力实现振兴民族品牌的梦想。

Delfar Elevator Co., Ltd. is located in Changjiang River Delta Economic Area Hinterland Huzhou, Zhejiang, China, which has been reputed as "Hometown of Elevator". It is close to Shanghai in the east, to Hangzhou in the south. It is a large size specialized elevator enterprise that integrates the elevator design, research, development, manufacture, sales, installation, repair and maintenance into one.

At present, the enterprise has passed ISO9001 International Quality System Certification, ISO14001 Environment Management System Certification, OHSAS18001 Occupational Health Safety Management System Certification. Along with the innovative steps which keeps abreast with the times, it introduces the advanced international production equipment, fulfills in-depth transformation of advanced management mode. It keeps researching into and developing the intellectual field. It is engaged in constructing future intellectual factory. At present, the products cover passenger elevator, observation elevator, hospital elevator, home elevator, freight elevator, automobile elevator, small machine room elevator, machine room-less elevator, escalator, moving walk series etc.

Standing at a height of building up a centurial career, it is always cored by "independent innovation". It keeps climbing new technical peaks. It sets up "Technical Research & Development Center". It sticks to the research and development mode of production-study-research cooperation. It continuously puts out individual innovation fruits to the markets. It lays a solid foundation for sustainable development of technological and talent innovation.

Delfar Elevator will, as always, adhere to the management ideas of "sincere & creditable management, keep charging, pay contribution to our societies". Let's join hands in order to together creating great splendors. It executes the long-term enterprise strategic development plans. It finds core business advantages through carrying out brand strategy, talent strategy, culture strategy, management strategy, internationalized strategy, information strategy etc. It strives to fulfill the dream of vitalizing a famous national brand.

Intelligent control

智能控制

军工级双32位主控系统平台

Military industry level double 32-bit digital master control system platform

军工级标准，CPU控制数据与信息数据传输可靠高效，抗干扰性强；MCU与现场总线技术融合，提高了控制系统的安全性、稳定性；引入CAN总线技术，减少主控系统的负担，增加系统的安全性；采用直接停靠技术，使乘客获得更为完美的舒适感。

Military industry standard is reliable and effective in CPU control data and information data transmission, strong in anti-interference, MCU combines with site bus technology, it enhances fine security and stability of control system. It introduces CAN bus technology to reduce burden of master control system. It increases systematic safety. It applies direct parking technology. Therefore vast passengers can get perfect and comfortable travel.

安全

Safe

高效

Effective

迅捷

Prompt & convenient

DELFA

智能群控合理统筹安排 (选配)

Rational arrangement of intellectual group supervision (optional)

F1智能群控管理系统将数台电梯作为一个群体来考虑，统筹厅外召唤以做出合理应答，缩短乘客平均候梯时间，实时适应客流量的变化。

F1 intellectual group supervision system takes several elevators as a whole. It arranges hall calling to give reasonable response. It shortens the passengers' average waiting time. It has real-time adaption to change of passenger flow.



传统主机噪音
Traditional machine noise




永磁同步无齿轮主机噪音
Permanent magnet synchronous and gearless machine noise

能量回馈技术 (选配)

Energy feedback technology (Optional)

基于双PWM控制的高节能量回馈技术，可将原本通过能耗电阻消耗掉的再生绿色电能，无污染回馈给其他用电设备，比普通VVVF电梯平均节能30%以上。完全满足国家相关电能质量标准。

Highly energy-saving energy feedback technology is based upon double-PWM control. It feeds back the pollution-less regenerated green electric energy that is originally consumed by energy-consumption resistance to other power equipment. It thus averagely saves over 30% of energy compared with the ordinary VVVF elevators. It completely satisfies the related national electric energy quality standards.



Green motives
energy-saving & environment-protection

绿色动力节能环保

绿色动力节能环保

Green motives energy-saving & environment-protection

新一代永磁同步无齿轮曳引机，选用稀土材料，将同轴传动技术、数字变频技术和群组电脑组合控制技术充分融合，运行成本较小，能量散失低。

New generation permanent magnet synchronous and gear-less traction machine chooses rare earth material. It fully merges with co-axial drive technology, digital variable frequency technology, group computer combined control technology with low running cost and low energy loss.



Top technology safety guarantee

尖端技术安全保障

将先进的VVVF变压变频控制技术运用到电梯门机系统，确保梯门流畅和宁静开关，提高梯门开关的灵敏度并自动调整每楼层最适合的开关速度，以确保安全可靠的运行。

It applies the advanced VVVF variable voltage, variable frequency control technology to the elevator door machine system. It ensures the smooth and peaceful opening / closing of the elevator door. It enhances the sensitivity of the elevator door opening / closing, automatically adjusts the most proper opening / closing speed for each floor. It thus guarantees the secure and reliable operation.

优秀性能
Excellent properties



低噪音，宁静自然。
Low noise, natural and peaceful travel.



比一般技术多节省40%的能量。
It saves over 40% energy than that of ordinary technology.



无需更换油脂，无油污污染。
It needs no grease renewal without oil stain pollution.



精准控制
Accurate control



稳定可靠
Stable and reliable

SMR
passenger elevator

小机房乘客电梯

德尔夫小机房电梯采用业界领先的永磁同步技术，节能环保，驱动性能卓越，节省建筑空间和造价，为高层住宅楼、办公楼、宾馆、机关、学校和各种公共建筑场所提供了最具空间价值的电梯解决方案。

Delfar SMR elevator applies the leading permanent magnet synchronous technology in the elevator industry with energy-saving and environment protection, outstanding drive properties. It saves the building space and cost. It provides high space value elevator solutions for high-rise residential buildings, office buildings, hotels, office, schools and various public places.

30%
节约机房面积

机房面积与井道一致，有效节省机房面积；

The area of the machine room is consistent with that of the shaft. Effectively save machine room's area.

Efficient
高效节能

主机启动电流小，传动高效，节能，降低电梯日常使用成本；

The starting current of the main engine is small, the transmission is efficient and energy saving, the cost of the elevator is decreased for daily use.

Easy
简易维保

改变了传统机房的固定模式，灵活更新，替换方便。

Change the traditional machine room's fixed mode, update flexibly, replace easily.



普通电梯的机房
Machine room of
the ordinary elevator



小机房电梯的机房
Machine room in small
machine room elevator

MRL passenger elevator 无机房乘客电梯

德尔法无机房乘客电梯以“低能耗”为标准，充分考量建筑空间的利用率和成本，采用结构紧凑的布局方式和灵活多变的设计风格，巧妙融入各种建筑，是现代个性化建筑楼宇的首选梯种。

Delfar MRL elevator is low energy consumption-based. It fully considers building space's utilization rate and cost. Using compact layout and flexible design style and cleverly integrating all kinds of buildings, it is the first choice for modern individualized buildings.



普通电梯的顶层
Top floor of
the ordinary elevator



无机房电梯的顶层
Top floor in
machine roomless elevator

将超薄曳引机置于井道侧壁，控制柜置于顶层，省去机房面积，节省了建筑空间和建筑成本，为建筑师留有余地。

Put ultra-thin traction machine in shaft side wall, the controller inside the top floor, save the machine room area, architectural space and cost, leave room for the architect.



采用超薄曳引机，灵活至于井道内，适应各种建筑环境的安装。

It applies super thin traction machine. It is flexibly installed in the well. It adapts to installation in various building environments.



绿色驱动与节能装置，实现约30%的节能效果。

Being equipped with green drive and energy conservation devices, energy conservation has reached 30%.

43dB



Standard car of passenger elevator

客梯标配轿厢



D18123

- 吊顶: D58033 (镜面不锈钢框架配筒灯)
- 轿壁: 发纹不锈钢
- 轿门: 发纹不锈钢
- 地板: PVC (D61011)
- 操纵箱: D36237
- Ceiling: D58033 (Mirror st. st. frame with downlight)
- Car wall: Hairline st. st.
- Car door: Hairline st. st.
- Floor: PVC (D61011)
- C.O.P: D36237



D36237



扫码看三维效果图
Scan to view 3D



D35251

嵌入式呼梯盒
Embedded L.O.P.



D35297

壁挂式呼梯盒
Surface mounted L.O.P.

发纹不锈钢面板, 蓝底白字16段码液晶显示
Hairline st. st. faceplate, Blue background white character 16 segments LCD display

- 基站门套: 发纹不锈钢小门套
- 基站厅门: 发纹不锈钢
- 其他层厅门和门套: 喷涂钢板厅门和小门套
- Main floor jamb: Hairline st. st. narrow jamb
- Main floor landing door: Hairline st. st.
- Other floor landing door and jamb: Painted steel landing door and narrow jamb



客梯轿厢装潢
Passenger elevator cabin decoration

信号系统
Signal system

呼梯盒
L.O.P.

厅门系列
Landing door series

吊顶系列
Ceiling series

扶手
Handrail

地板
Floor

喷涂钢板色块
Painted steel color



扫码看三维效果图
Scan to view 3D

D18706

- 吊顶: D58017 (发纹不锈钢, 亚克力)
- 轿壁: 侧壁发纹不锈钢, 后壁中间板镜面蚀刻上色, 辅助板镜面不锈钢
- 轿门: 发纹不锈钢
- 扶手: D77010 (发纹不锈钢)
- 地板: PVC (D61019)
- Ceiling: D58017 (Hairline st.st., acrylic)
- Car wall: Rear wall center panel mirror etched st.st., auxiliary panel mirror st.st., two wall hairline st.st., front car wall hairline st.st.
- Car door: Hairline st.st.
- Handrail: D77010 (Hairline st.st.)
- Floor: PVC (D61019)

Decoration car of passenger elevator


客梯轿厢装潢



扫码看三维效果图
Scan to view 3D

< D18535

- 吊顶: D58009 (中间部影像拱顶, 四周镜面不锈钢框架配筒灯, 筒灯数量根据轿厢实际大小增减)
- 轿壁: 三侧轿壁中间板镜面、蚀刻、发纹; 辅助板发纹; 前壁发纹
- 轿门: D20519 (镜面蚀刻不锈钢)
- 后壁扶手: D77005 (不锈钢单管)
- 地板: PVC (D61055)
- Ceiling: D58009 (Central part image arch ceiling, mirror st. st. frame with downlight at two sides, the downlight quantity is decided by the car actual size)
- Car wall: 3 sides car wall central panel mirror st. st. etched st. st. hairline st. st. auxiliary panel hairline st. st. front wall hairline st. st.
- Car door: D20519 (Mirror etched st. st.)
- Rear wall handrail: D77005 (Stainless steel single tube)
- Floor: PVC (D61055)



扫码看三维效果图
Scan to view 3D

< D18707

- 吊顶: D58018 (镜面不锈钢框架, 亚克力灯饰, LED灯, 筒灯数量根据轿厢实际大小增减)
- 轿壁: 三侧轿壁中间板钛金镜面蚀刻不锈钢, 辅助板钛金发纹不锈钢, 前壁钛金发纹不锈钢
- 轿门: D20722 (钛金镜面蚀刻不锈钢)
- 扶手: D77009 (钛金镜面不锈钢)
- 地板: 大理石 (D62020)
- Ceiling: D58018 (Mirror st. st. frame, acrylic light decoration, LED light, the downlight quantity is decided by the car actual size)
- Car wall: Three side car wall center panel Ti-gold mirror etched st. st., auxiliary panel Ti-gold hairline st. st., front car wall Ti-gold hairline st. st.
- Car door: D20722 (Ti-gold mirror etched st. st.)
- Handrail: D77009 (Ti-gold mirror st. st.)
- Floor: Marble (D62020)

Decorated car of passenger elevator


客梯轿厢装潢



扫码看三维效果图
Scan to view 3D

< D18736

- 吊顶: D58019 (钛金镜面不锈钢框架, 宽幅拱形白色透光板)
- 轿壁: 钛金、镜面、蚀刻、发纹
- 轿门: D20710 (钛金镜面蚀刻不锈钢)
- 后壁扶手: D77011 (钛金镜面不锈钢圆管, 中间实木)
- 地板: PVC (D61056)
- Ceiling: D58019 (Ti-gold mirror st. st. frame, wide arched white photic board)
- Car wall: Ti-gold, mirror, etched, hairline st. st.
- Car door: D20710 (Ti-gold mirror etched st. st.)
- Rear wall handrail: D77011 (Ti-gold mirror st. st. round tube, central part solid wood)
- Floor: PVC (D61056)



扫码看三维效果图
Scan to view 3D

< D18726

- 吊顶: D58039 (钛金镜面不锈钢, 中间配蚀刻花纹, 四周配黄色灯圈)
- 轿壁: 侧壁钛金镜面不锈钢, 后壁中间板钛金镜面蚀刻不锈钢, 辅助板钛金镜面不锈钢; 前壁钛金镜面不锈钢
- 轿门: 钛金镜面不锈钢
- 后壁扶手: D77009 (钛金镜面不锈钢圆扶手)
- 地板: 大理石 D62035
- Ceiling: D58039 (Ti-gold mirror st.st. with etching pattern in the middle and yellow light around)
- Car wall: Two side walls Ti-gold mirror st.st., rear wall center panel Ti-gold mirror etched st.st., auxiliary panel Ti-gold mirror st.st.; front wall Ti-gold mirror st.st.
- Car door: Ti-gold mirror st.st.
- Rear wall handrail: D77009 (Ti-gold mirror st.st. round handrail)
- Floor: Marble D62035

Decorated car of passenger elevator

客梯轿厢装潢



扫码看三维效果图
Scan to view 3D

<< D18203

- 吊顶: D58010 (镜面不锈钢配亚克力透光板及射灯, 筒灯数量根据轿厢实际大小增减)
- 轿壁: 前壁镜面不锈钢, 侧壁和后壁镜面不锈钢及大理石贴面
- 轿门: 镜面不锈钢
- 后壁扶手: D77108 (镜面不锈钢扁扶手)
- 地板: 大理石 (D62008)
- Ceiling: D58010 (Mirror st. st. with acrylic photic board and reflector lamp, the downlight quantity is decided by the car actual size)
- Car wall: Three side wall center panel marble veneer, auxiliary panel mirror st. st., front wall mirror st. st.
- Car door: Mirror st. st.
- Rear wall handrail: D77108 (Mirror st. st. flat handrail)
- Floor: Marble (D62008)



扫码看三维效果图
Scan to view 3D

<< D18527

- 吊顶: D58050 (镜面不锈钢框架配筒灯, 筒灯数量根据轿厢实际大小增减)
- 轿壁: 三侧轿壁中间板镜面蚀刻不锈钢; 辅助板发纹不锈钢; 前壁发纹不锈钢
- 轿门: 镜面不锈钢
- 扶手: D77005 (发纹不锈钢圆扶手)
- 地板: PVC (D61038)
- Ceiling: D58050 (Mirror st. st. frame with downlight, the downlight quantity is decided by the car actual size)
- Car wall: Three sides car wall central panel mirror etched st. st. auxiliary panel hairline st. st. front wall hairline st. st.
- Car door: Mirror st. st.
- Handrail: D77005 (Hairline st. st. round handrail)
- Floor: PVC (D61038)

操纵箱
C.O.P



D36127
标配 (Standard)
发纹不锈钢面板,
点阵红显示
Hairline St. St. faceplate,
dot matrix display in red

操纵箱
C.O.P



D36172
标配 (Standard)
发纹不锈钢面板,
点阵红显示
Hairline St. St. faceplate,
dot matrix display in red

前轿壁一体式操纵箱
Car front wall
Integral type C.O.P



D36258
选配 (Optional)
发纹不锈钢面板,
蓝底白字16段码液晶显示
Hairline St. St. faceplate,
blue background white character
16 segments LCD display

操纵箱
C.O.P



D36269
选配 (Optional)
玻璃面板, 触摸按钮,
7寸图片式液晶显示
Glass faceplate, touch push button,
7" picture type LCD display

操纵箱
C.O.P



D36180
选配 (Optional)
玻璃面板,
点阵蓝显示
Glass faceplate,
dot matrix display in blue

残疾人操纵箱
C.O.P for the disabled



D36032
标配 (Standard)

注: 面板材质为发纹的操纵箱、残疾人
操纵箱及呼铃盒皆可选配钛金材质
Note: the faceplate material for the hairline st.st.
C.O.P, C.O.P for the disabled and the L.O.P can
be equipped with Ti-gold material.

操纵箱显示 C.O.P display



点阵红显示
dot matrix display
in red

标配 (Standard)



蓝底白字16段码液晶显示
blue background white character
16 segments LCD display

标配 (Standard)



黑底白字16段码液晶显示
black background white character
16 segments LCD display

选配 (Optional)

图片机 Picture type LCD display

7寸图片机液晶显示
7" Picture type LCD display



竖显 Vertical display



横显 Horizontal display

选配 (Optional)

8.1寸图片机液晶显示
8.1" Picture type LCD display



竖显 Vertical display



横显 Horizontal display

选配 (Optional)



横显 Horizontal display

10.4寸图片机液晶显示
10.4" Picture type LCD display



横显 Horizontal display

视频机 Video type LCD display

8.1寸视频机液晶显示
8.1" video type LCD display



横显 Horizontal display

选配 (Optional)

10.1寸视频机液晶显示
10.1" video type LCD display



横显 Horizontal display

选配 (Optional)

按钮 Button



DB01
标配 (Standard)



DB03
选配 (Optional)



DB02
选配 (Optional)



DB05
选配 (Optional)

光圈 Ring light color



红色点阵显示,
搭配按钮红色光圈
Dot matrix display in red,
with red ring light button



蓝底白字、点阵蓝、图片机及
视频机显示, 搭配按钮蓝色光圈
Blue background white character, dot matrix
display in blue, picture type LCD display, video
type LCD display, with blue ring light button



黑底白字显示,
搭配按钮白色光圈
Black background white character,
with white ring light button

呼梯盒

L.O.P

客梯轿厢站厅
Passenger elevator
cab/station area

信号系统
Signal system

呼梯盒
L.O.P

厅门系列
Landing door
series

层显系列
Calling series

轿厢
Carriagel

地板
Floor

漆面翻新保护
Painted steel
cover



楼层显示 Hall horizontal indicator



方向显示 Direction lantern



呼梯盒显示 L.O.P display



厅门系列

Landing door series



D20519

门板型号: D20519
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20519
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20502

门板型号: D20502
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20502
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20508

门板型号: D20508
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20508
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20325

门板型号: D20325
 门板材料: 发纹蚀刻不锈钢
 小门套或墙套材料: 发纹不锈钢
 Door model: D20325
 Door material: Hairline etched St.St.
 Narrow jamb or jamb material: Hairline St.St.



D20523

门板型号: D20523
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20523
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20531

门板型号: D20531
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20531
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20535

门板型号: D20535
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20535
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20511

门板型号: D20511
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20511
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20533

门板型号: D20533
 门板材料: 镜面蚀刻不锈钢
 小门套或墙套材料: 镜面不锈钢
 Door model: D20533
 Door material: Mirror etched St.St.
 Narrow jamb or jamb material: Mirror St.St.



D20732

门板型号: D20732
 门板材料: 钛金镜面蚀刻不锈钢
 小门套或墙套材料: 钛金镜面不锈钢
 Door model: D20732
 Door material: Ti-gold mirror etched St.St.
 Narrow jamb or jamb material: Ti-gold mirror St.St.




D20710

门板型号: D20710
 门板材料: 钛金镜面蚀刻不锈钢
 小门套或墙套材料: 钛金镜面不锈钢
 Door model: D20710
 Door material: Ti-gold mirror etched St.St.
 Narrow jamb or jamb material: Ti-gold mirror St.St.



D20722

门板型号: D20722
 门板材料: 钛金镜面蚀刻不锈钢
 小门套或墙套材料: 钛金镜面不锈钢
 Door model: D20722
 Door material: Ti-gold mirror etched St.St.
 Narrow jamb or jamb material: Ti-gold mirror St.St.



小门套 (标配)
 斜墙面 (用户自理)
 Jamb (standard)
 Wall finishing (by others)



斜门套 (选配)
 Inclined jamb (optional)



直墙套 (选配)
 Straight jamb (optional)



小门套 (标配)
 斜墙面 (用户自理)
 Jamb (standard)
 Wall finishing (by others)



斜门套 (选配)
 Inclined jamb (optional)



直墙套 (选配)
 Straight jamb (optional)

客梯轿厢装潢
 Passenger elevator
 cabin decoration

信号系统
 Signal system

呼梯盒
 L.O.P

厅门系列
 Landing door
 series

吊顶系列
 Ceiling series

扶手
 Handrail

地板
 Floor

喷涂钢板色块
 Painted steel
 color

吊顶系列 Ceiling series



D58033
镜面不锈钢配筒灯
Mirror St. St frame with downlight



D58035
镜面不锈钢框架, 亚克力灯饰
Mirror St. St frame, acrylic lighting decoration



D58002
中央部: 拱形亚克力灯饰
四周: 镜面不锈钢框架
Central part: Arched acrylic lighting decoration
Frames around: Mirror St. St frame



D58051
中央部: 亚克力灯饰
四周: 镜面不锈钢框架
Central part: Acrylic lighting decoration
Frames around: Mirror St. St frame



D58012
镜面不锈钢框架
Mirror St. St frame



D58015
镜面不锈钢框架
Mirror St. St frame



D58005
中央部: 拱形亚克力灯饰
四周: 镜面不锈钢框架
Central part: Arched acrylic lighting decoration
Frames around: Mirror St. St frame



D58027
中央部: 亚克力灯饰
四周: 镜面不锈钢框架加筒灯
Central part: Acrylic lighting decoration
Frames around: Mirror St. St frame with downlight

客舱不锈钢类
Passenger stainless
color decoration

信号系统
Signal system

门牌类
L.O.P

行李架系列
Luggage storage
series

吊顶系列
Ceiling series

扶手
Handrail

地板
Floor

喷涂钢板色块
Painted steel
color

扶手 Handrail



D77102
发纹不锈钢扁扶手
Hairline St. St flat handrail



D77103
钛金不锈钢扁扶手
Ti-gold St. St flat handrail



D77005
发纹不锈钢圆扶手
Hairline St. St round handrail



D78006
发纹不锈钢圆扶手
Hairline St. St round handrail



D77007
钛金不锈钢圆扶手, 中间实木
Ti-gold St. St round handrail,
central part solid wood



D77009
钛金镜面不锈钢圆扶手
Ti-gold mirror St. St round
handrail

地板 Floor

PVC地板 PVC floor

大理石地板 Marble floor



D61001



D61002



D61011



D62006



D62007



D62037



D61039



D61036



D61053



D62050




D62051



D62052

喷涂钢板色块 Painted steel color



RAL7032
卵石灰
Pebble gray



RAL7038
玛瑙灰
Agate gray



RAL6019
松蓝绿
Pastel green



RAL9010
白色
White



RAL1013
牡蛎白
Oyster white

Stretcher elevator
担架电梯




人性设计 功能丰富

Human-centered design rich functions

满足紧急运送病人的需要，采用人性化设计，配置整套尖端设备，运行平稳舒适。轿厢宽敞明亮，不仅具有普通载客功能，更可容纳担架，同时还为人们搬运较大家具提供了方便。

It satisfies the needs of emergency patients' delivery. It applies human-centered design and is equipped with a full set of top equipments. It is smooth and comfortable in running. It has bright and broad car. It not only has ordinary passenger-transport functions, furthermore, it can contain stretch. Meanwhile, it is convenient for the people to carry large furniture.



深度达2100mm
方便救援担架直接出入。

Depth reaches 2100mm.
It is convenient for direct entry / exit of rescue stretcher.

量身定做 安全便捷

Safe and convenient custom-made Delfar stretcher elevator

德尔法担架电梯，可为您的建筑量身设计。采用高强度型材制作而成的轿厢，可承载各类较重担架，安心运送病人或大件物品，有效保护人们及物品的安全。

Delfar stretcher elevator has been specially designed for your building. It applies high strength section materials to produce the elevator cars. It can bear various kinds of heavy stretchers. It safely delivers the patients/goods. It effectively protects the security of both the people and the goods.

担架电梯参数表 Stretcher elevator specifications

轿厢人数 Persons	额定载重 (kg) Rated Capacity	额定速度 (m/s) Rated speed	开门尺寸 (mm) Door-opening size		开门方式 Door opening type	轿厢尺寸 (mm) Car size			井道尺寸 (mm) Hoistway size		顶层高度 (mm) Top floor height	轿厢深度 (mm) Pit depth	轿厢净高 (mm) Net height	最大提升高度 (m) Max. raising height
			宽 x 高 D x H	宽 W		深 D	高 H	宽 W	深 D					
10	800	1.0	800 x 2100	2P C0	1100	1700	2500	2000	2200	4200	1500	55		
		1.5								4300	1400	72		
		1.75								4400	1500	90		
		2.0								4800	1600	115		
		2.5								5000	2000	125		
13	1000	1.0	900 x 2100	2P C0	1100	2100	2500	2100	2500	4200	1300	55		
		1.5								4300	1400	72		
		1.75								4300	1400	72		
		2.0								4800	1500	90		
		2.5								4800	1600	115		

注：上述尺寸仅供参考，具体尺寸以合同至当时提供的土建图为准。
Not: Only for reference. Final manufacture please follow drawing.